

9el 9 9h M



Dosing Kits include capsules, funnel, stand, tamper, dosing device & instructional video

- Ideal for materials that are insoluble, form poor suspensions, are affected by excipients or are odorous and distasteful, e.g., sustained release beads, paint flakes, chromic oxide marker
- For capsule size, species, weight, and lower GI drug delivery size see table below. Capsule holders available for dip coating in enteric solutions. Capsule sinkers available for testing in disintegration test apparatus.
- Size 9 can be used for intra-colonic delivery via rectal insertion in rats >200-250g.
- Save time and money by eliminating validation of suspension / solution homogeneity.
- Eliminate excipients absorption affects.

Fill Materials:

Dry materials in any form (powder, beads, crystals, paint flakes), pastes, and non-aqueous liquids.

Disintegration Time:

Within 10 minutes in stomach.

Lower GI Drug Delivery:


See below.

Dosing Time & Acceptance:

< 1 min. (30 - 45 minutes for 60 rats).

> 98% successful dosing after minimal experience (3 - 4 placebo doses per rat).

Lock Ring prevents accidental spillage*



*Size 9el, 9, 9h

Size	Size 9el	Size 9	Size 9h	Size M
Species & Weight	Rats 200g+	Rats 200gm (min 150g) Guinea Pig 300g+	Hamsters & Rats 150g+	Mice 25g+
Species & Weight Lower GI Delivery	n/a	Rat 200g+ Guinea Pig 300g+	Hamster & Rat 150g+; Guinea Pig 300g+	Mice 30g+
Capsule Body Capacity	0.08 ml	0.025 ml	0.013ml	0.004 ml
Fill Weight (materials with density 1g/ml)	80 mg	25 mg	13mg	4 mg
External Diameter Maximum	2.71 mm	2.71 mm	2.71mm	1.27 mm
Length When Locked Maximum	23.0 mm	8.4 mm	5.1mm	8.4 mm
Surface area locked capsule in mm ² (±3) for enteric coating	Not Applicable	68mm ²	42 mm ²	31mm ²
Weight Empty (Cap & Body) Average [†]	21 mg	10 mg	5mg	~2 mg
Colors Available	Clear & Opaque	Clear & Opaque	Clear & Opaque	White

[†]For a specific net fill weight tare the weight of each capsule body individually and then fill or use a pre-weighed amount of powder for each capsule.

Visit us at

www.torpac.com

Your source for veterinary capsules, custom capsules, capsule fillers, and more...



Practical Guide on Rodent Capsules, Applications, Accessories & How to Dose Instructions

www.torpac.com/rat.htm

Reference: "A Simple Method for Administration of Drugs in Solid Form to Fully Conscious Rats," Lax, E.R., et al, *Laboratory Animals* (1983) 17, 50-54.

Capsule Dosing the Rat

Dr. Eric Weyand, Research Scientist
Maple City Research, Hornell, NY, USA

Torpac's size 9 empty gelatin capsules provide a convenient method for orally dosing laboratory rats 200 gm+ (150 gm minimum) using a dosing syringe. Dosing with capsules is an excellent alternative when you cannot gavage.

Before beginning your study become comfortable dosing a rat. First practice dosing using a gavage needle. Next, practice using empty capsules in the dosing syringe.

Pre-condition the animals by giving 3 doses of saline solution each day for 3 days followed by administering an empty capsule each day for 3 days using the dosing syringe for capsules.

The following instructions include images from the included CD-ROM.



Dosing Size 9 Capsules



1. If you prefer working with a curved dosing syringe, bend the shaft in a gentle curve (see the video “Dosing Tips” for a demonstration). In brief, keep the plunger in the shaft and bend all along the length of the shaft and not just at one point to avoid cracking the shaft.

Before inserting the syringe put it next to the rat with the capsule holder section over the stomach area and the syringe near the mouth. Note the length of syringe that extends beyond the mouth. During Step 6 this should be the position of the syringe when the capsule is ejected.

2. Insert the filled capsule, body (longer and narrower piece) first, into the syringe's capsule holding cup. A small portion of the capsule's cap dome will protrude from the cup.

Lubricate the tip of the capsule and the syringe with Vaseline or Glycerin. This makes administration easier and protects the capsule from premature softening by saliva during administration. This also prevents any loose capsules from prematurely falling out of the syringe.

3. As shown in the video, restrain the rat by grasping the scruff of the neck with one hand and the rear with the other hand.

Dosing Size 9 Capsules (continued)



4. Wrap the rat's tail around your small finger to secure the lower portion of the rat.



5. Place the tip of the syringe in the center of the mouth and follow the roof of the mouth to the opening of the esophagus. When you feel resistance go slowly until the rat swallows the capsule holder section (the widest part). Tilt the rat's head back with the shaft of the syringe. This straightens the esophagus and makes insertion of the syringe easier.


NOTE: Once the syringe has passed the back of the mouth, if you feel any 'ridges' you may have entered the trachea. If this happens, slowly remove the syringe. Do NOT eject the capsule.



6. The time from initial insertion to swallowing of the syringe should take 15-20 seconds. If excess time is taken the capsule may soften due to contact with saliva.

Once the rat swallows the capsule holder continue at normal speed moving the syringe down the esophagus with gentle pressure. For a 200-250gm rat 10 cm of the syringe should be inserted past the incisor teeth. Adjust the insertion depth based on the rat's size.

NOTE: Do not force the syringe.



7. The radiograph above shows the correct placement of the syringe and ejection of a barium filled capsule into the bottom of the esophagus (the black arrow is pointing to the capsule).



8. Now eject the capsule by pushing the syringe's plunger.

Remove the syringe from the stomach but slow down when the capsule holder section is being withdrawn through the esophagus and mouth.

If there is a concern that the capsule was ejected in the esophagus and not in the stomach, close the rat's mouth and gently stroke the neck to facilitate swallowing. A gavage of a few ml of saline solution or water will facilitate movement of the capsule into the stomach.



9. Tips:

a. When dosing additional rats with the same syringe dry the capsule holder section with an absorbent tissue to prevent the next capsule from sticking in the capsule holder.

c. If capsules soften during administration and cannot use Vaseline or Glycerin as suggested in Step 2, consider freezing (or cooling to 5C) prior to administering them.


Capsule Dosing the Guinea Pig

Kathleen Rider, LATG, Veterinary Technology Program
City University of New York, LaGuardia Community College

Torpac's size 9 empty gelatin capsules provide an easy method of orally dosing guinea pigs 300 gm+ using a dosing syringe. Dosing with capsules is an excellent alternative when you cannot gavage.

Tips on Dosing Capsules with Dosing Syringe

- Before beginning your study, to become comfortable dosing capsules with a dosing syringe, practice dosing using a gavage needle. Next, practice using empty capsules in the dosing syringe.
- If you prefer working with a curved dosing syringe, you can bend the shaft in a gentle curve. In brief, keep the plunger in the shaft and gently bend along the length of the shaft, not just at one point or you may kink the shaft.




2. Restrain the guinea pig by grasping the scruff of the neck. Place the tip of the syringe in the center of the mouth and follow the ridges on the roof of the mouth. Tip the guinea pig's head back with the shaft of the dosing syringe. Position the dosing syringe at the entry to the esophagus.

The guinea pig does not need to swallow the tip of the syringe.



3. The radiograph shows correct placement of the dosing syringe and a barium filled capsule at the opening of the esophagus (arrow is pointing to the capsule). Now eject the capsule by pushing the dosing syringe plunger.



1. Insert the filled and locked capsule, body (longer and narrower piece) first, into the opening of the syringe's capsule holding cup. A small portion of the capsule's cap dome will protrude from the cup.



4. After ejection of the capsule, slowly remove the syringe from the guinea pig's mouth. Close the guinea pig's mouth and stroke the neck gently to facilitate swallowing. The capsule will dissolve within 10 minutes in the stomach.


TIP: After dosing the capsule, some researchers dose the guinea pig with a few ml of saline solution or water as they feel this may further facilitate movement of the capsule into the stomach.

Filling Capsules with a Filling Funnel

The Quickest and Easiest Capsule Filling Method For Small Studies



- Ideal for small studies requiring few capsules to be filled.
- Stainless Steel construction maintains high GMP and easy cleanup.
- Fast & Accurate way to fill capsules.
- Lightweight for use on analytical balances
- Available in Size 000-5 including el sizes; for rodents Size M, 9, 9el, and for veterinary use Size 11 & 12/13.



1. Separate a single capsule. Place the capsule body in the holder. (Longer, narrower part)




2. Place the funnel over the capsule body in the holder.



3. Dose a pre-measured amount of powder into the capsule through the funnel, **or** put the assembly on a precision balance, tare it, and dose the powder into the capsule through the funnel.



4. When the required quantity of powder has been put into the funnel, use the tamper to compress filling material into capsule body.



5. Slowly remove the funnel.



6. Place the capsule's cap onto the body of the capsule, pressing firmly to lock. Remove the filled capsule from the base.

Do you need to fill more than a few capsules?

Multi-Fillers Are Available Now!

Fill up to 2000 capsules per hour...

ProFill
for human capsules
(size 000-5)

**#9 Multi Capsule
Filler**
for size 9 mini-capsules

TORPAC[®]


www.torpac.com

CVF
for veterinary capsules
(size Su07-13)


#9/9eI Multi Capsule Filler

Operating Instructions

Ideal for filling multiple capsules at one time when fill weights can be within +/- 7 to 10% of average (e.g. pharmacokinetic studies)



1. Pull gloves tight around fingertips for easier capsule handling.




2. Lift the Capsule Holder using the 2 handles and push both Spacer Plates all the way in and under the capsule holder.




3. Separate capsules one at a time and place caps in a shallow container such as a Petri dish.



4. Place the capsule body (longer, bottom half) into the Capsule Holder with the body opening facing up. Do this for all 40 capsules.



5. When all the holes have capsule bodies in them, pour out a pre-measured quantity of powder. Spread the powder with the Spreader. Push the excess powder to the Pocket.



6. Use the Tamper to pack powder into capsules. Spread remaining powder as in step 5 for proper fill weight.



7. Slowly pull out the Spacer Plates one at a time. Hold Capsule Holder with both Handles as you pull out each Spacer Plate and then gently let it down.



8. Now the tops of the filled capsule bodies are exposed.



9. Place the top caps of the capsules back onto the bottoms, pressing to fully lock each capsule.



10. After all capsules are joined; turn the entire filler upside-down to remove all filled capsules.

Made from 100% Porcine Gelatin

For more information visit <http://www.torpac.com/rodent>

for a 6 page Acrobat file with technical information, "how to" dosing guide, and more.



9el 9 9h M

Size 9el, 9h & M are Torpac exclusives.

Size	9el	9	9h	M
Species & Weight	Rats 200g+	Rats 200gm (min 150g) Guinea Pig 300g+	Hamsters & Rats 150g+	Mice 25g+
Species & Weight Lower GI Delivery	n/a	Rat 200g+ Guinea Pig 300g+	Hamster & Rat 150g+ Guinea Pig 300g+	Mice 30g+
Capsule Body Capacity	0.08 ml	0.025 ml	0.013 ml	0.004 ml
Fill Weight (materials with density 1g/ml)	80 mg	25 mg	13 mg	4 mg
Surface area locked capsule in mm ² (±3) for enteric coating	Not Applicable	68mm ²	42 mm ²	31mm ²
Weight Empty (Cap & Body) Average	21 mg	10 mg	5 mg	~2 mg
Colors Available	Clear & Opaque	Clear & Opaque	Clear & Opaque	White

	Size 9el (US\$) Item Code	Size 9 (US\$) Item Code	Size 9h (US\$) Item Code	Size M (US\$) Item Code
 <p>Capsule Kit -Includes Syringe with Plunger, Funnel with Stand, "How to Dose" Video CD. Size 9 and 9el kits include 100 capsules. Size M kits include 50 capsules.</p>	600.00 (Per kit) X-9el Rat Kit	425.00 (Per kit) X-9 Rat Kit	425.00 (Per kit) X-9h Kit	287.50 (Per kit) X-M Mice Kit
 <p>Capsules - Size 9, 9h & 9el capsules packed in containers of 100. - Size M capsules packed in containers of 50 - Capsules feature Lock-Ring.</p>	450.00 (For 100) A-9el CT	275.00 (For 100) A-9 CT	275.00 (For 100) A-9h CT	137.50 (For 50) A-M CT
For Easier Dosing, we recommend the following aids:				
 <p>Stainless Steel Dosing Syringe - If dosing multiple animals, order additional syringes to allow them to dry between administrations. - Syringes have a Luer lock design.</p>	75.00 X-9el Syringe	75.00 X-9 Syringe	75.00 X-9h Syringe	75.00 X-M Syringe
 <p>Stainless Steel Filling Funnel - Includes funnel, tamper, and stand. - For precision filling on a balance.</p>	75.00 X-9el Funnel	75.00 X-9 Funnel	75.00 X-9h Funnel	75.00 X-M Funnel
 <p>Multiple Capsule Filler - Fill 40 capsules at a time to within ± 7-10% of average weight. - Includes filler, tamper, and spreader.</p>	350.00 X-9el Filler	350.00 X-9 Filler	Not Available	Not Available
 <p>Holder* -Holds six capsules for enteric coating. *Not for use with 9el as it will not pass through to the lower intestine.</p>	Not Available	40.00 X-9 Holder	Under development	40.00 X-M Holder
 <p>Capsule Sinker - Sinkers allow you to determine the Dissolution time for a single capsule. - See torpac.com/sinkers for sinker dimensions</p>	25.00 X-9el Sinker	25.00 X-9 Sinker	25.00 Use X-9 Sinker	25.00 X-M Sinker

Payment Terms: Net 30 days for established customers who issue a purchase order. New customers can pay by credit card or wire transfer.

Delivery: Next Day Shipment

Freight Terms: FOB Fairfield, NJ

www.torpac.com info@torpac.com
T: 1-973-244-1125 F: 1-973-244-1365
333 Route 46, Fairfield, NJ 07004, USA